



STORAGE & HANDLING SOLUTIONS for CATERING & HOSPITALITY



Shelfspan

making better use of space

With 30 years of storage expertise, the Shelfspan team is proud of the business-partner relationship we build and maintain with our customers. We work hard to ensure you can be confident of a large range of high quality, innovative products, with excellent customer service at competitive prices.

Our services

- An attractive pricing structure to ensure your prices are always competitive
- Guaranteed quality products from stock for immediate delivery nationwide
- Quotations prepared within 24 hours
- Free in-house design and planning service
- Free on site survey assistance on major projects
- Low cost installation service using Shelfspan trained and employed staff
- Full credit facilities, subject to status
- CAD and BIM blocks available
- A 2nd generation owned and run business that cares about your customers



Professional installation services



Online tools - see the full product range



AutoCAD design services



20,000sqft warehouse of stock
for immediate nationwide delivery

CONTENTS

ECLIPSE® Chrome Wire.....4-7

Standard Units4-5

Wall Shelving6

Wine Racking.....6

Front of House7



ECLIPSE® PERMA PLUS

Antibacterial Epoxy Coated Shelving8-9

ECLIPSE® PLASTIC PLUS

Heavy Duty Polymer Shelving.....10-11



EKO FIT Polymer Shelving12-13

Stainless Steel Shelving14-17

Eclipse® Wire14-15

Solid & Vented Shelves16-17



High Density Shelving.....18-19

Catering Trolleys20-31

PLATE-MATE Banqueting Trolleys.....32-36

Cages, Cupboards & Lockers37-41




Shelfspan

making better use of space

ECLIPSE® CHROME

OPEN WIRE SHELVING SYSTEM



ECLIPSE® CHROME WIRE

ECLIPSE® CHROME WIRE SHELVING



HARD WEARING POLISHED BLUE CHROME FINISH WITH UP TO 300KG* SHELF LOAD.

- Ideal for dry store and front of house
- Quick and easy to assemble
- Innovative design - reduce costs and improve access by using add-on units
- Fully adjustable – shelf heights every 25mm
- Available in 87 size combinations
- Huge range of accessories including angled shelves, display baskets and utility rails (tie - bars)
- Options 1625mm, 1820mm and 2130mm height

Conforms to NSF/ANSI standard 2 - food equipment, for use in dry storage

*Note: Load capacity based on static units. Load capacities may vary according to design. Please contact us for accurate load bearings for your desired design.

LENGTH (mm)

DEPTH (mm)	460	610	760	915	1070	1220	1370	1520	1820
305		•	•	•	•	•			
355			•	•	•	•	•	•	•
460	•	•	•	•	•	•	•	•	•
610		•	•	•	•	•	•	•	•



Quick and easy to assemble bolt - free, no specialist tools required.

Fully adjustable - shelf heights every 25mm.

Add swivel castors for mobility. Available in 75mm, 100mm and 120mm sizes. Unbraked and braked options.



Shelfspan
making better use of space

ECLIPSE® CHROME WIRE

ECLIPSE® CHROME WALL & WINE SHELVING

WALL SHELVING

- Create extra storage space with ECLIPSE® cantilever wall shelving.
- Fully adjustable and strong.
- Includes 2 x 610mm wall posts and fixing brackets, shelf/shelves and 2 support arms for each shelf.
- Shelf spans in excess of 1200mm available using double supports.

DEPTH (mm)	760	915	1220
305	•	•	•
355	•	•	•
460	•	•	•



ECLIPSE® CHROME WINE RACKS

- Holds up to 9 standard size bottles per shelf (single layer) or 17 bottles (double layered)
- 3,4,5,6,7 or 8 tier options
- All units are 355mm deep x 915mm wide
1625mm and 1820mm high units include 2 brackets to fix the unit to the wall for additional stability.



Tiers	Height mm
3	760
4	1625
5	1625
6	1625
7	1820
8	1820

Shelfspan

making better use of space

ECLIPSE® CHROME FRONT OF HOUSE

Eclipse® Chrome shelving is also complimented by a huge number of accessories, making it the perfect choice for tailored front-of-house solutions - examples illustrated below;



Please contact us for designs specific to your requirements.

Shelfspan
making better use of space

ECLIPSE® CHROME FRONT OF HOUSE

ECLIPSE® PERMA PLUS

EPOXY COATED WIRE SHELVING WITH
AN ANTIBACTERIAL EDGE



ECLIPSE® PERMA PLUS

ECLIPSE® PERMA PLUS EPOXY COATED SHELVING

**10 YEAR ANTIBACTERIAL & ANTI-CORROSION GUARANTEE**

- Ideal for cold rooms, freezers and wet areas
- Quick and easy to assemble
- Coated shelves AND posts for complete protection
- Up to 300kg* shelf load capacity UDL
- Fully adjustable – shelf heights every 25mm
- Innovative design - reduce costs and improve access by using add-on units
- Available in 81 size combinations.
- 1625mm, 1820mm and 2130mm height options

Conforms to NSF/ANSI standard 2 - food equipment, for all environments including fridges and freezers


*Note: Load capacity based on static units. Load capacities may vary according to design. Please contact us for accurate load bearings for your desired design.

LENGTH (mm)

DEPTH (mm)	460	610	760	915	1070	1220	1370	1520	1820
305			•	•	•	•			
355			•	•	•	•	•	•	•
460		•	•	•	•	•	•	•	•
610		•	•	•	•	•	•	•	•

Hard baked grey epoxy resin to prevent corrosion

Zinc substrate for extra protection



10 years antibacterial and anti-corrosion guarantee.

99.9% effective against most common bacterial strains

Add swivel castors for mobility. Available in 75mm, 100mm and 120mm sizes. Unbraked and braked options.



Shelfspan

making better use of space

ECLIPSE® PLASTIC PLUS

THE STRENGTH OF STEEL WITH
THE BENEFITS OF PLASTIC



ECLIPSE® PLASTIC PLUS

ECLIPSE® PLASTIC PLUS POLYMER SHELIVING



10 YEAR ANTIBACTERIAL & ANTI-CORROSION GUARANTEE WITH EXTRA HEAVY-DUTY 360KG* UDL SHELF LOAD

- 99.9% effective antibacterial additive to posts, frames and shelf panels
- Removable polymer shelf panels for extra hygiene
- Temperature resistant from -29°C to $+88^{\circ}\text{C}$
- Mix & match – removable solid or vented shelf panels
- Fully adjustable – shelf heights every 25mm
- Available in 48 size combinations.
- 1625mm, 1820mm and 2130mm height options

Conforms to NSF/ANSI standard 2 - food equipment, for all environments including fridges and freezers

*Note: Load capacity based on static units. Load capacities may vary according to design. Please contact us for accurate load bearings for your desired design.

DEPTH (mm)	LENGTH (mm)							
	610	760	915	1070	1220	1370	1520	1820
460	•	•	•	•	•	•	•	•
610	•	•	•	•	•	•	•	•



Removable polypropylene panels for easy cleaning in the dishwasher*

*Standard commercial dishwasher & detergents only. Frame wipe clean with damp sponge or water jet only. Temperature resistance range is -29°C to $+88^{\circ}\text{C}$

Add swivel castors for mobility. Available in 75mm, 100mm and 120mm sizes. Unbraked and braked options.



Shelfspan
making better use of space

ECLIPSE® PLASTIC PLUS POLYMER SHELIVING

EKO FIT

FLEXIBLE POLYMER SHELVING SYSTEM



EKO FIT POLYMER SHELVING



THE MOST FLEXIBLE SHELVING SYSTEM AVAILABLE, WITH LENGTHS UP TO 2 METRES AND 330 SIZE VARIATIONS

- Superior strength and hygiene, ideal for all food service areas including coldrooms and freezers
- Load bearing parts are manufactured with high strength anodised aluminium, up to 250kg per shelf, 1000kg per bay UDL
- Plastic components moulded to high resistance using basic acids and bacteria proof raw materials
- Easily removable and dishwasher proof shelf slats
- Temperature resistance range is -30°C to $+90^{\circ}\text{C}$
- Accreditations from NSF and NF.

*Note: Load capacity based on static units. Load capacities may vary according to design. Please contact us for accurate load bearings for your desired design. Shelf elements suitable for cleaning in standard commercial dishwasher and detergents. Not suitable for use in autoclaves. Easy to clean wipe down surface or simply remove slats.



Removable polyethylene shelf elements for easy cleaning

Certified for direct contact with food

Available in;

- 5 depths – 300, 375, 450, 525 and 600mm
- 22 lengths – 470 – 2045mm in 75mm increments
- 4 heights – 1500, 1700, 2000 and 2450mm


Shelfspan

making better use of space

EKO FIT POLYMER SHELVING

ECLIPSE® STAINLESS STEEL

OPEN WIRE SHELVING SYSTEM



ECLIPSE® STAINLESS STEEL WIRE SHELVING

ECLIPSE® STAINLESS STEEL WIRE SHELVING



GRADE 304 STAINLESS STEEL, UP TO 300KG* SHELF LOAD.

- Shelves manufactured in grade 304 stainless steel, posts in hard wearing blue chrome
- Grade 304 stainless steel post upgrade option
- Innovative design - reduce costs and improve access using add-on units
- Suitable for use in all catering environments, including dry store, cold rooms and freezers.

*Note: Load capacity based on static units. Load capacities may vary according to design. Please contact us for accurate load bearings for your desired design

DEPTH (mm)	LENGTH (mm)				
	915	1070	1220	1520	1820
460	•	•	•	•	•
610	•	•	•	•	•



Quick and easy to assemble bolt - free, no specialist tools required.

Fully adjustable - shelf heights every 25mm.

Add swivel castors for mobility. Available in 75mm, 100mm and 120mm sizes. Unbraked and braked options.



Shelfspan
making better use of space

STAINLESS STEEL

SOLID & VENTED SHELF OPTIONS



STAINLESS STEEL SHELVING



FLEXIBLE STAINLESS STEEL SHELVING WITH SOLID OR VENTED SHELVES.

- Grade 304 stainless steel posts and shelves
- Temperature resistant to -30°C
- Fully adjustable - shelf heights every 100mm
- Adjustable post feet for uneven floors
- Quick and easy to assemble - bolt-free, no specialist tools required.
- Up to 200kg shelf load UDL

Note: Load capacity based on static units. Load capacities vary according to design. Please contact us for accurate load bearings for your desired design.

DEPTH (mm)	LENGTH (mm)			
	360	460	560	660
660	•	•	•	•
760	•	•	•	•
860	•	•	•	•
960	•	•	•	•
1060	•	•	•	•
1160	•	•	•	•
1260	•	•	•	•
1360	•	•	•	•
1460	•	•	•	•
1560	•	•	•	•
1660	•	•	•	•
1760	•	•	•	•
1860	•	•	•	•
1960	•	•	•	•
2060	•	•	•	•

*Note: Lengths include 2 x 30mm posts.

Unique shelf supports allow for full access into corners on add - on units



Shelfspan

making better use of space

STAINLESS STEEL SHELVING

HIGH DENSITY STORAGE

MORE STORAGE IN LESS SPACE



HIGH DENSITY STORAGE

HIGH DENSITY STORAGE



Why A High Density Shelving System?

High Density Storage is a grand name for a very simple idea – get more storage into the same space by removing all but one access aisle. By using mobile units between static ends the aisle becomes moveable; So the unnecessary aisles in the static system now become additional shelving units in the high density system.

Shelfspan offers 2 types of High Density systems to fit with the specific needs of your business.

FLOOR TRACK HD

- Mobile shelving unit slide easily along aluminium floor tracks on Grade 304 stainless steel blocks
- Use on all Eclipse range shelving & Eko Fit
- Use in dry store, cold rooms & freezers
- Lower cost than other HD options
- Retro-fit to existing Shelfspan shelving
- One piece stainless steel rolling block allows for smooth action with minimal drift
- Up to 400kg loading per mobile unit

TRACKLESS OVERHEAD HD

- Mobile units mounted on Grade 304 stainless steel blocks glide easily on standard smooth floor
- Kept in line with overhead aluminium guide rails and top mounted stainless steel shuttles
- No floor track, so easy to keep clean
- Use on all Eclipse range shelving & Eko Fit
- Use in dry store, cold rooms & freezers
- Up to 1800mm unit length and spans up to 4 metres.
- Retro-fit to existing Shelfspan shelving
- One piece stainless steel rolling block allows for smooth action with minimal drift
- Up to 400kg loading per mobile unit

Contact us to discuss your specific requirements.

Shelfspan

making better use of space

CATERING TROLLEYS

STAINLESS STEEL, COATED AND CHROME WIRE



CATERING TROLLEYS

GENERAL PURPOSE TROLLEYS



304 GRADE STAINLESS STEEL GENERAL PURPOSE TROLLEY

- Dished shelves with anti-drip edges
- Wipe clean hygienic design
- Welded construction
- Rubber disc bumpers
- Non-marking castors, 2 braked
- No assembly required

LENGTH (mm)

DEPTH (mm)	2 Tier			3 Tier		
	840	940	1120	840	940	1120
550	.			.		
600		.			.	
710			.			.

COATED GENERAL PURPOSE TROLLEY

- Grey colour powder coated steel frame
- Removable aluminium shelves
- Non-marking castors, 2 braked
- No assembly required
- 825 x 525 x 900mm high - 2 or 3 tier option



ECLIPSE® CHROME WIRE GENERAL PURPOSE TROLLEY

- 2 or 3 tier trolley, manufactured from steel with a hard-wearing polished blue chrome finish.
- Supplied with 75mm castors, 2 of which are braked.
- 1060mm height
- Maximum load 210kg



LENGTH (mm)

DEPTH (mm)	2 Tier			3 Tier		
	610	760	915	610	760	915
460	.	.	.	.	.	.
610	.	.	.	.	.	.

Shelfspan

making better use of space

GENERAL PURPOSE TROLLEYS

GASTRONORM TROLLEYS



304 GRADE STAINLESS STEEL PREPARATION TROLLEY

- 7 levels of U-shaped runners with push through protection
- Stainless steel work top
- Welded construction
- Rubber disc bumpers
- Non-marking castors, 2 braked
- Overall height of unit is 900mm

Gastronorm Tray Size	Size WxDxH (mm)
1/1	460 x 630 x 900
2/1	660 x 700 x 900

304 GRADE STAINLESS STEEL TRAY TROLLEY

- Suitable for -20/ +60°C temperature range
- 20kg per level loading, maximum 250kg per unit
- Accommodates stainless steel and polycarbonate food containers
- Runners have end stops
- 1650mm high, fitted with swivel castors, 2 of which are braked
- Fits 1/1 or 2/1 Gastro tray -10/15/20 tray options



Gastronorm Tray Size	Levels	Size WxDxH (mm)
1/1	10	460 x 630 x 1650
1/1	15	460 x 630 x 1650
1/1	20	460 x 630 x 1650
2/1	10	660 x 750 x 1650
2/1	15	660 x 750 x 1650
2/1	20	660 x 750 x 1650

Shelfspan

making better use of space


GASTRONORM TROLLEYS



304 GRADE STAINLESS STEEL NESTABLE TRAY TROLLEY

Suitable for $-20/ +60^{\circ}\text{C}$ temperature range
20kg per level loading, maximum 200kg per unit
Accommodates 1/1 Gastronorm or 600 x 400mm
pâtissier trays. Runners have end stops 1790mm
high, fitted with 125mm swivel castors, 2 braked
20 levels, 75mm between levels 80% nestable

	Size WxDxH (mm)
1/1 GN	460 x 630 x 1790
Patissier	530 x 700 x 1790



80% nestable



ANTI-BACTERIAL, REUSABLE COVER

- Low density, food quality polyethylene cover
- Reinforced zip fasteners
- Water jet or handwash only
not suitable for machine wash

Size WxDxH (mm)
To fit GN 2/1 and 600 x 400mm trolleys
To fit GN 1/1 trolleys

Shelfspan
making better use of space

GASTRONORM TROLLEYS

GASTRONORM TROLLEYS




304 GRADE STAINLESS STEEL NESTABLE TRAY TROLLEY

Suitable for -20/+60oC temperature range
20kg per level loading, maximum 200kg per unit
Accommodates 1/1 Gastronorm or 600 x 400mm
pâtisseries trays. Runners have end stops 1790mm
high, fitted with 125mm swivel castors, 2 braked
20 levels, 75mm between levels 80% nestable

	Size WxDxH (mm)
1/1 GN	460 x 630 x 1790
Pâtisseries	530 x 700 x 1790

80% nestable



ANTI-BACTERIAL, REUSABLE COVER

- Low density, food quality polyethylene cover
- Reinforced zip fasteners
- Water jet or handwash only - not suitable for machine wash

Size WxDxH (mm)
To fit GN 2/1 and 600 x 400mm trolleys
To fit GN 1/1 trolleys

Shelfspan

making better use of space



CUTLERY & PLATE TROLLEYS



COATED CUTLERY TROLLEY

- For bulk storage and distribution of cutlery, in easy-to-clean finish
- Grey colour powder coated steel frame
- Supplied with 2 cutlery inserts and 1 base plate
- Non marking swivel castors, 2 braked
- No assembly required
- Overall dimensions (WxDxH)
630mm x 400mm x 980mm

Size WxDxH (mm)
630 x 400 x 980

304 GRADE STAINLESS STEEL PLATE TROLLEY

- Low level transport trolley for plates, trays or 1/1 Gastronorm containers
- **Shown fitted with 2 dividers for plates, sold separately**
- 9 divider positions, 85mm each



Size WxDxH (mm)	Plate capacity* (min - max)	Tray capacity* (min - max)	1/1 Gastro capacity* (min - max)
Small 1112 x 540 x 785	141 - 232	140 - 200	45 - 140
Large 1112 x 627 x 785	252 - 416	140 - 200	45 - 140
Divider for small trolley	n/a	n/a	n/a
Divider for large trolley	n/a	n/a	n/a

* Note capacities dependent on plate / tray / container size / thickness.

Shelfspan
making better use of space

TRAY STACKING & PLATFORM TROLLEYS



COATED TRAY STACKING TROLLEY

- Grey colour powder coated steel frame
- Holds tray size 450 x 350mm
- Non marking swivel castors with bumpers, 2 braked
- No assembly required

Size WxDxH (mm)
550 x 425 x 840

LIGHTWEIGHT PLATFORM TROLLEY

- 304 grade stainless steel
- Max. load 120kg

Size WxDxH (mm)
880 x 615 x 1050



HEAVY DUTY PLATFORM TROLLEY

- 304 grade stainless steel
- Max. load 400kg

Size WxDxH (mm)
1025 x 600 x 1050



Shelfspan

making better use of space

DISHWASHER BASKET TROLLEYS & DOLLYS

304 GRADE STAINLESS STEEL DISHWASHER BASKET RACKING TROLLEY

- 7 tier unit to hold 500mm x 500mm dishwasher baskets
- 125mm castors, 2 braked
- Overall dimensions (WxDxH)
630mm x 700mm x 1700mm high
- 201mm level clearance

Size WxDxH (mm)
630 x 700 x 1700



304 GRADE STAINLESS STEEL DISHWASHER BASKET DOLLY

- Holds 500mm x 500mm dishwasher baskets
- 125mm castors, 2 braked
- 670mm x 580mm x 1050mm high
- With removable moulded platform
- Max. load 50kg

Size WxDxH (mm)
670 x 580 x 1050

304 GRADE STAINLESS STEEL REINFORCED DISHWASHER BASKET DOLLY

- Holds 500mm x 500mm dishwasher baskets
- 125mm castors, 2 braked
- 731mm x 634mm x 1050mm high
- Welded stainless steel base
- Max. load 80kg

Size WxDxH (mm)
670 x 580 x 1050



Shelfspan
making better use of space

SELF LEVELLING TROLLEYS



SELF LEVELLING TROLLEY FOR TRAYS

- 304 grade stainless steel
- Up to 240 tray capacity
- Max. load 120kg

Size WxDxH (mm)
805 x 545 x 974

SELF LEVELLING TROLLEY FOR BASKETS

- 304 grade stainless steel
- 7 basket capacity
- Max. load 120kg

Size WxDxH (mm)
805 x 545 x 974



SELF LEVELLING TROLLEYS

Shelfspan

making better use of space

DRIP DRY TROLLEYS



GN DRIP DRY TROLLEY

- 304 grade stainless steel
- 3 or 4 tier options

Size WxDxH (mm)
1250 x 575 x 1870

TRAY DRIP DRY TROLLEY

- 304 grade stainless steel
- 3 tier
- Max. load 120kg

Size WxDxH (mm)
1310 x 625 x 1700



DISHWASHER BASKET DRIP DRY TROLLEY

- 304 grade stainless steel
- 3 tier
- Max. load 120kg

Size WxDxH (mm)
1000 x 495 x 1700



Shelfspan

making better use of space

DRIP DRY TROLLEYS

LAUNDRY & LINEN



ECLIPSE® CHROME LAUNDRY & LINEN CARTS

- For collection of soiled laundry and distribution of clean linen
- Open wire design for excellent air-flow
- Quick and easy to assemble
- Fully adjustable - shelf heights every 25mm
- Supplied with 120mm castors, 2 of which are braked
- Maximum unit load 300kg

ECLIPSE Chrome Laundry Collection Cart (Left) and Linen Distribution Cart (Right)

DEPTH (mm)	LENGTH (mm)				
	Laundry Cart		Linen Distribution Cart		
	915	1220	915	1220	1520
460	•	•	•	•	•
610	•	•	•	•	•

ECLIPSE® CHROME GARMENT RAIL

- For storage and distribution of hanging garments – ideal for hotel laundry services
- Quick & easy assembly
- Adjustable – add extra shelves
- Supplied with 100mm castors, 2 of which are braked
- Max load 50kg

DEPTH (mm)	LENGTH (mm)		
	915	1220	1520
460	•	•	•
610	•	•	•



Shelfspan

making better use of space

CHROME WIRE TROLLEYS



ECLIPSE® CHROME WIRE BASKET TROLLEY

- 90mm high basket shelves
- Supplied with 75mm castors, 2 of which are braked
- Maximum load 210kg

	Size WxDxH (mm)
2 tier	460 x 610 x 1060
3 tier	460 x 610 x 1060
2 tier	460 x 915 x 1060
3 tier	460 x 915 x 1060

ECLIPSE® CHROME WIRE LIPPED EDGE TROLLEY

- 25mm lipped edge shelves
- Supplied with 75mm castors, 2 of which are braked
- Maximum load 210kg

	Size WxDxH (mm)
2 tier	460 x 915 x 1060
3 tier	460 x 915 x 1060
2 tier	460 x 1220 x 1060
3 tier	460 x 1220 x 1060



ECLIPSE® CHROME WIRE COMBINATION TROLLEY

- 2 tier trolley, 1 shelf and 1 basket
- Supplied with 75mm castors, 2 of which are braked
- Maximum load 210kg

Size WxDxH (mm)
460 x 610 x 1060
460 x 915 x 1060


Shelfspan
making better use of space

CHROME WIRE TROLLEYS

PLATE-MATE® BANQUETING TROLLEYS



PLATE-MATE® BANQUETING TROLLEYS



If you have a space problem in your kitchen, we have the solution. With a range including mobile, fold-away collapsible, wall-mounted and bench-top units, you'll find the PLATE-MATE® that's perfect for your needs.

- Store prepared cold dishes vertically, freeing up valuable space
- Strong stainless steel, aluminium and plastic construction
- Quick to adjust - store any plate or bowl up to 50mm deep
- Speeds up service and saves labour costs.
- Use in commercial kitchens, catered events, banqueting - even a ships galley!
- All parts are replaceable, keeping maintenance costs down.

PLATE-MATE® MOBILE



PLATE-MATE® 84 PLATE STANDARD BANQUETING TROLLEY

- 84 plate capacity
- Stainless steel frame and base
- Supplied with 4 x 125mm composite castors, 2 braked
- Overall dimensions 600 x 600 x 1850mm high

	Size WxDxH (mm)
PLATE-MATE® 84 plate standard	600 x 600 x 1850

PLATE-MATE® TWIN COLUMN BANQUETING TROLLEY

- 2 independent columns
- 96, 120 or 168 plate capacity
- Stainless steel frame and base
- Supplied with 4 x 125mm composite castors, 2 braked

	Size WxDxH (mm)
PLATE-MATE® 96 twin column	600 x 1200 x 1380
PLATE-MATE® 120 twin column	600 x 1200 x 1580
PLATE-MATE® 168 twin column	600 x 1200 x 1860



Shelfspan

making better use of space

PLATE-MATE® MOBILE COLLAPSIBLE



PLATE-MATE® COLLAPSIBLE BANQUETING TROLLEY

Ideal for transporting to site or for kitchens where equipment storage space is tight, these collapsible PLATE-MATE® units have all the benefits of the standard mobile model, with the added advantage of folding when not in use!

Available in 4 sizes:

- 48 plate - 460 x 460 x 1270mm high
- 60 plate - 460 x 460 x 1490mm high
- 84 plate - 460 x 460 x 1890mm high

Stainless steel frame and base, fitted with 4 x 100mm composite castors, 2 braked.

	Size WxDxH (mm)
PLATE-MATE® 48 Collapsible	460 x 460 x 1270
PLATE-MATE® 60 Collapsible	460 x 460 x 1490
PLATE-MATE® 84 Collapsible	460 x 460 x 1890



Shelfspan
making better use of space

PLATE-MATE® MOBILE COLLAPSIBLE

PLATE-MATE® TABLE-TOP

PLATE-MATE® TABLE-TOP



PLATE-MATE® TABLE-TOP UNIT

Free - standing units with a rotating centre column and handgrip for ease of movement.

Available in 4 sizes:

- 12 plate capacity - 490mm high
- 24 plate capacity - 730mm high
- 36 plate capacity - 930mm high
- 48 plate capacity - 1140mm high

These units can also be wall mounted using the Cantilever Wall Bracket.

	Capacity	Size WxDxH (mm)
PLATE-MATE® 12 Table Top	12 plate	270 x 270 x 490
PLATE-MATE® 24 Table Top	24 plate	270 x 270 x 730
PLATE-MATE® 36 Table Top	36 plate	270 x 270 x 930
PLATE-MATE® 48 Table Top	48 plate	270 x 270 x 1140

Shelfspan
making better use of space

CAGES, CUPBOARDS & LOCKERS



ECLIPSE® SECURITY CAGES



PROVIDING SECURE STORAGE FOR HIGH VALUE OR HIGH RISK ITEMS SUCH AS ELECTRONICS, SMALL PARTS OR PHARMACEUTICALS.

- Finished in hard - wearing polished blue chrome
- Number of shelves stated includes the top and bottom shelf
- Padlock not included
- Unit is supplied assembled ready for use
- Max load 300kg UDL per shelf on static units
- Max. load 300kg per unit on mobile units

Sizes mm (DxL)	3 Shelf Unit	4 Shelf Unit	5 Shelf Unit
<i>Static Unit</i>			
460 x 915 x 1625mm high	•	•	•
460 x 1220 x 1625mm high	•	•	•
<i>Mobile Unit</i>			
460 x 915 x 1770mm high	•	•	•
460 x 1220 x 1770mm high	•	•	•

Shelfspan

making better use of space

COSHH CUPBOARDS



CUPBOARDS SUITABLE FOR THE SEPARATE STORAGE OF HAZARDOUS SUBSTANCES AS REQUIRED UNDER THE COSHH REGULATIONS

- Snag-free handles with 2 point locks
- Adjustable galvanised shelves with spill-retaining edges for excellent spill management*
- Integral liquid-tight sump to encourage correct handling of spills using absorbents*
- Wall cupboards pre-drilled for mounting - fixings not included
- Stands include adjustable feet for uneven surfaces

*Except wall-mounted cupboards

Floor Cupboards	
Sizes mm (DxL)	No. Shelves
460 x 900 x 1800	3
460 x 1200 x 1800	3
460 x 900 x 1200	2
460 x 460 x 900	1
460 x 900 x 900	1
300 x 350 x 700	1
460 x 900 x 700	1

Extra Shelves
To Fit mm (DxL)
460 x 900
460 x 1200
460 x 460
350 x 300

Stands
To Fit mm (DxL)
460 x 900
460 x 460
350 x 300

Wall Cupboards	
Sizes mm (DxL)	No. Shelves
255 x 850 x 570	1

Shelfspan
making better use of space

COSHH CUPBOARDS

LOCKERS



EXPRESS LOCKERS

1, 2, 3, 4, 5, 6 or 8 door lockers

Height: 1800mm

Width: 300mm or 450mm

Depth: 300mm or 450mm

- All lockers supplied with mid grey carcass with doors available in green, blue, dark grey, red, yellow, black or mid grey
- Anti-bacterial powder coating
- Robust steel construction with rebated doors
- Various lock options
- Semi concealed door hinges

Shelfspan

making better use of space

LOCKERS

ECLIPSE® WIRE MESH LOCKERS

Providing secure storage for high value or high risk items such as electronics, small parts or pharmaceuticals

- Manufactured from electroplated zinc finished 2.5mm wire, with a 25 x 25mm grid, and 8mm frames
- All sizes fitted with hasp and staple lock; single and 2 door lockers also have 3 point locking system (padlocks not included)
- Fitted with 150mm legs and floor brackets (fixings not included)



No. of Doors	Sizes mm (DxL)
Single door locker	305 x 305 x 1980
	305 x 380 x 1980
	305 x 450 x 1980
	450 x 450 x 1980
2 door locker	305 x 305 x 1980
	305 x 380 x 1980
	305 x 450 x 1980
	450 x 450 x 1980
3 door locker	305 x 305 x 1980
	305 x 380 x 1980
	305 x 450 x 1980
	450 x 450 x 1980

No. of Doors	Sizes mm (DxL)
4 door locker	305 x 305 x 1980
	305 x 380 x 1980
	305 x 450 x 1980
	450 x 450 x 1980
5 door locker	305 x 305 x 1980
	305 x 380 x 1980
	305 x 450 x 1980
	450 x 450 x 1980
6 door locker	305 x 305 x 1980
	305 x 380 x 1980
	305 x 450 x 1980
	450 x 450 x 1980

Shelfspan
making better use of space

LOCKERS

Shelfspan

making better use of space



Lo - Call (UK only): 0845 072 2385
International: +44 1621 775 810
Fax Lo - Call (UK only): 0845 072 2386
International fax: +44 1621 774 820



General enquiries: info@shelfspan.co.uk
Quotes and orders: sales@shelfspan.co.uk



Shelfspan Limited
Cart Lodge
Mayland Hall Farm
Mayland Hill
Althorne
Essex CM3 6EA

Registered Office: 66 Station Road, Upminster, Essex RM14 2TD
Registered No. 2100645