

Shelfspan

making better use of space

www.shelfspan.co.uk



ECLIPSE[®] CHROME ESD SAFE SYSTEMS

A wide range of storage solutions with over
30 years of experience

With 30 years of storage expertise, the Shelfspan team is proud of the business- partner relationship we build and maintain with our customers. We work hard to ensure you can be confident of a large range of high quality, innovative products, with excellent customer service at competitive prices.

OUR SERVICES


- 1 An attractive pricing structure to ensure your prices are always competitive
- 2 Guaranteed quality products from stock for immediate delivery nationwide
- 3 Quotations prepared within 24 hours
- 4 Free in-house design and planning service
- 5 On site survey assistance on major projects
- 6 Low cost installation service using Shelfspan trained staff
- 7 Credit facilities, subject to status
- 8 Marketing support
- 9 A family owned and run business that cares about your customers



Stock for immediate nationwide delivery



See the full product range



AutoCAD design services



The Shelfspan team are here to help with any questions or concerns

CONTENTS

ESD SAFE SYSTEMS

- 04 ESD SAFE COMPONENTS
- 05 ECLIPSE® CHROME WIRE SHELVING
- 06 ECLIPSE® CHROME WIRE TROLLEYS
- 08 ECLIPSE® CHROME PICKING TROLLEYS
- 10 ECLIPSE® CHROME SECURITY CAGES
- 11 ECLIPSE® WORKBENCHES
- 12 ECLIPSE® DOUBLE BOXCARTS
- 13 ECLIPSE® EURO BOXCARTS



ESD SAFE SYSTEMS



To make your chrome wire ESD compliant, simply add two conductive collars per shelf along with metal base plates, conductive feet, or antistatic castors on the bottom of each post.



Intense heat from ESD can melt or vaporise the small parts within the device, causing it to stop working or significantly shorten the devices lifetime.

Our Eclipse® Chrome range can be easily adapted to meet ESD compliance requirements. They are available in the full range of sizes and accessories.

When storing electrical devices, it is important to ensure it is ESD safe. We have that covered with a selection of ESD components too.

ESD ECLIPSE® CHROME WIRE BAYS

ECLIPSE® CHROME-WIRE SHELVING



- **Open-wire design** - Allowing for excellent air flow and light penetration.
- **Fully adjustable** - Shelf heights every 25mm.
- **Strong and robust** - Up to 300kg shelf load capacity - Max static bay loads. 1000kg, Add on shelves and bays 20% reduction.
- **Highly durable**– ‘Blue’ zinc chrome finish.
- Available static or mobile.
- **Innovative design** - Reduce costs and improve access by using add-on units.
- 100mm or 120mm anti-static castors available, 2 of which are braked.

Depth (mm)	Length (mm)								
	460	610	760	915	1070	1220	1370	1520	1820
305		✓	✓	✓	✓	✓			
355			✓	✓	✓	✓	✓	✓	✓
460	✓	✓	✓	✓	✓	✓	✓	✓	✓
610		✓	✓	✓	✓	✓	✓	✓	✓
Heights available in 1625mm, 1820mm, 2130mm									

ESD ECLIPSE® TROLLEYS

ECLIPSE® CHROME WIRE TROLLEYS



- 2 or 3 tier trolley, manufactured from steel with a hard-wearing blue chrome finish.
- Available in 100 mm or 120mm anti-static castors, 2 of which are braked.
- 1060mm height
- Maximum load 210kg

Depth (mm)	Length (mm) : 2 Tier			Length (mm) : 3 Tier		
	610	760	915	610	760	915
460	✓	✓	✓	✓	✓	✓
610	✓	✓	✓	✓	✓	✓

ESD ECLIPSE® TROLLEYS

ECLIPSE® CHROME WIRE SPECIAL SHELVES



ECLIPSE® CHROME WIRE BASKET TROLLEYS

- 90mm high basket shelves
- Available in 100mm or 120mm anti-static castors, 2 of which are braked.
- Maximum load 210kg

	Size WxDxH (mm)
2 tier	460 x 610 x 1060
3 tier	460 x 610 x 1060
2 tier	460 x 915 x 1060
3 tier	460 x 915 x 1060



ECLIPSE® CHROME WIRE LIPPED EDGE TROLLEY

- 25mm lipped edge shelves
- Available in 100mm or 120mm anti-static castors, 2 of which are braked.
- Maximum load 210kg

	Size WxDxH (mm)
2 tier	460 x 915 x 1060
3 tier	460 x 915 x 1060
2 tier	460 x 1220 x 1060
3 tier	460 x 1220 x 1060

ECLIPSE® CHROME WIRE COMBINATION TROLLEYS

- 2 tier trolley, 1 shelf and 1 basket
- Available in 100mm or 120mm anti-static castors, 2 of which are braked.
- Maximum load 210kg

Size WxDxH (mm)
460 x 610 x 1060
460 x 915 x 1060



ESD ECLIPSE® PICKING TROLLEYS



(PT1848T1)

Up to 300kg for the base shelf and 150kg for standard shelves. Total unit loading 300kg.

Mobile - Castors 125mm antistatic, 2 braked 2 unbraked

Components - Supplied with 4 chrome standard shelves, 1 heavy duty dunnage shelf, 1 short handle, 2 side mesh panels, 2 utility rails, 2 dividers on each standard shelf and a set of 125mm castors

460mm depth x 1220mm length x 1790mm height

Up to 300kg for the base shelf and 150kg for standard shelves. Total unit loading 300kg.

Mobile - Castors 125mm antistatic, 2 braked 2 unbraked

Components - Supplied with 4 chrome standard shelves, 1 heavy duty dunnage shelf, 1 short handle, 2 side mesh panels, 2 utility rails, 2 dividers on each standard shelf and a set of 125mm castors

460mm depth x 915mm length (1070mm with handle) x 1790mm high.



(PT1836T2)

ESD ECLIPSE® PICKING TROLLEYS



(PT1848T3)

Up to 300kg for the base shelf and 150kg for standard shelves. Total unit loading 300kg.

Mobile - Castors 125mm antistatic, 2 braked 2 unbraked

Components - Supplied with 2 chrome standard shelves, 1 heavy duty dunnage shelf, 1 sloping shelf at the top, 1 short handle, 2 dividers on each standard shelf, 3 ledges per standard shelf and a set of 125mm castors.

460mm depth x 1220mm length x 1790mm height.

Up to 300kg for the base shelf and 150kg for standard shelves. Total unit loading 300kg.

Mobile - Castors 125mm antistatic, 2 braked 2 unbraked


Components - Supplied with 1 chrome standard shelf, 1 heavy duty dunnage shelf, 2 sloping shelves at the top, 1 short handle, 3 ledges per standard shelf and a set of 125mm castors.

460mm depth x 915mm length x 1790mm height.



(PT1836T4)

ESD ECLIPSE® WIRE SECURITY CAGES



Providing secure storage for high value or high risk items such as electronics, small parts or pharmaceuticals.

The number of shelves stated includes the top and base shelves. Image for reference is a 3-tier.

- Finished in a hard-wearing 'blue' zinc chrome.
- Padlock not included
- Max load 300kg UDL per shelf on static units
- Max load 300kg per unit on mobile units
- Unit is supplied assembled, ready for use
- Available static or with 120mm anti-static castors.
- For example, above : Eclipse Chrome Static Security Cage 3 shelf 460x915x1625mm high (3 tier = 1 top, 1 base, 1 internal shelf)

Sizes mm (DxL)	3 Shelf Unit	4 Shelf Unit	5 Shelf Unit
Static Unit			
460 x 915 x 1625mm high	✓	✓	✓
460 x 1220 x 1625mm high	✓	✓	✓
610 x 1220 x 1625mm high	✓	✓	✓
Mobile Unit			
460 x 915 x 1770mm high	✓	✓	✓
460 x 1220 x 1770mm high	✓	✓	✓
610 x 1220 x 1770mm high	✓	✓	✓

ESD ECLIPSE® WORKBENCHES



CHROME WIRE FRAME WITH A 304-GRADE STAINLESS STEEL TOP.

Depth (mm)	Width (mm)	Height (mm)
610	1220	1400 Static
610	1220	1525 Mobile

- **Highly durable** - Built with high-quality materials for long-lasting use.
- **Strong and robust** - Includes 2 heavy-duty 'blue' chrome shelves.
- **Versatile** - Compatible with various accessories for customisation.
- **Mobile or static** - Available with or without 100mm anti-static castors.
- **ESD compatible** - can be configured for use in electrostatic discharge environments. (conductive mat required)

ESD ECLIPSE® DOUBLE BOX CARTS



Levels	Dimensions	Box Size
6 tier to fit 120mm deep box	940 x 610 x 1100	400 x 600 x 120

- **Strong and robust** - With a max unit load of 210 kg.
- **Highly durable** - 'Blue' zinc chrome finish with a stainless steel top cover.
- **Components** - Supplied with a top and bottom dunnage frame, stainless 304 steel top cover, 18 runners, 6 posts, and a set of 100mm anti-static castors (2 braked, 2 unbraked)
- **Tools required** - Philips PZ2 screwdriver.
- **ESD compatible** - can be configured for use in electrostatic discharge environments. (conductive mat required)

ESD ECLIPSE® EURO BOX CARTS



- **Bolt-free design for quick assembly** - Simply snap the collar onto the post anywhere on a 25mm pitch and drop the runner into position.
- **Strong and robust** - With a max unit load of 210 kg. 15kg per level, evenly distributed.
- **Highly durable** - 'Blue' zinc chrome finish.
- **Components** - Supplied with 2 four-sided frames, 4 posts, box runners (quantity varies depending on the number of tiers), conductive collars, and a set of 100mm anti-static castors, 2 braked, 2 unbraked.
- **Mobile/static options available.**

ESD ECLIPSE® EURO BOX CARTS



Levels	Dimensions D x L x H (mm)	Box Size D x L x H (mm)	Product Code
6 tier to fit 120mm deep box	480 x 610 x 1200	400 x 600 x 120	BC6120
8 tier to fit 120mm deep box	480 x 610 x 1450	400 x 600 x 120	BC8120
10 tier to fit 120mm deep box	480 x 610 x 1750	400 x 600 x 120	BC10120
3 tier to fit 220mm deep box	480 x 610 x 1200	400 x 600 x 220	BC3220
6 tier to fit 220mm deep box	480 x 610 x 1750	400 x 600 x 220	BC6220
2 tier to fit 325mm deep box	480 x 610 x 1200	400 x 600 x 325	BC2325
4 tier to fit 325mm deep box	480 x 610 x 1750	400 x 600 x 325	BC4325

Accessories	Dimensions D x L x H (mm)	Product Code
Euro box runner (single)	18 x 610	EBR24
4 sided frame	480 x 610	4SF4861



Shelfspan

making better use of space



UK only: 0845 072 2385
International: +44 1621 775 810



General Enquiries:
info@shelfspan.co.uk
Quotes and Orders:
sales@shelfspan.co.uk



Shelfspan Limited Cart Lodge
Mayland Hall Farm Mayland Hill
Althorne Essex CM3 6EA



For full brochure
scan the QR code



Registered Office: Cart Lodge, Mayland
Hall Farm, Mayland Hill, Althorne, Essex
CM3 6EA Registered No. 2100645